

RECEIVED
CENTRAL FAX CENTER
JAN 05 2007

MARTIN & FERRARO, LLP
1557 Lake O'Pines Street, NE
Hartville, Ohio 44632

Telephone
(330) 877-0700

Facsimile
(330) 877-2030

FACSIMILE TRANSMITTAL

TO:

Name: Mail Stop AF
Group Art Unit 1725/Examiner Kuang Y. Lin

Firm: U.S. Patent & Trademark Office

Fax No.: 571-273-8300

Subject: U.S. Patent Application No. 10/697,664
Terry Hildreth

Filed: October 29, 2003

METAL INJECTING APPARATUS

Attorney Docket No. 117.0002-00000

Customer No. 22882

Confirmation No.: 8387

FROM:

Name: Thomas H. Martin, Esq.

Phone No.: 330-877-2277

No. of Pages (including this): 8

Date: January 5, 2007

Confirmation Copy to Follow: NO

Message:

CERTIFICATE OF TRANSMISSION UNDER 37 CFR 1.8

I hereby certify that the attached Transmittal Form (in duplicate; \$250.00 total amount to cover the Notice of Appeal is to be charged to Deposit Account No. 50-1068), Notice of Appeal, and Pre-Appeal Brief Request for Review with Form PTO/SB/33 are being facsimile transmitted to the U.S. Patent and Trademark Office on January 5, 2007.


Sandra L. Blackmon

If there is a problem with this transmission please call Sandy Blackmon at 330-877-1202 or the sender at the number above.

The information contained in this facsimile message is privileged and confidential information intended only for the use of the addressee listed above. If you are not the intended recipient or the employee or agent responsible to deliver this message to the intended recipient, please do not use this transmission in any way, but contact the sender by telephone.

RECEIVED
CENTRAL FAX CENTER

JAN 05 2007

PTO/SB/33 (07-05)

Approved for use through 10/10/2004, OMB 0651-0044
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PRE-APPEAL BRIEF REQUEST FOR REVIEW

Docket Number (Optional)

117.0002-00000

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to "Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)]

on _____

Signature _____

Typed or printed name _____

Application Number

10/697,664

Filed

October 29, 2003

First Named Inventor

Terry Hildreth

Art Unit

1725

Examiner

Kuang Y. Lin

Applicant requests review of the final rejection in the above-identified application. No amendments are being filed with this request.

This request is being filed with a notice of appeal.

The review is requested for the reason(s) stated on the attached sheet(s).

Note: No more than five (5) pages may be provided.

I am the

☐ applicant/inventor.

☐ assignee of record of the entire interest.
See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed.
(Form PTO/SB/96)

☒ attorney or agent of record.
Registration number 34,383

☐ attorney or agent acting under 37 CFR 1.34.
Registration number if acting under 37 CFR 1.34 _____


Signature

Thomas H. Martin

Typed or printed name

330-877-0700

Telephone number

January 5, 2007

Date

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.

☒ -Total of 1 forms are submitted.

This collection of information is required by 35 U.S.C. 132. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11, 1.14 and 41.6. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

**RECEIVED
CENTRAL FAX CENTER**

JAN 05 2007

**RESPONSE UNDER 37 C.F.R. 1.116
EXPEDITED PROCEDURE
EXAMINING GROUP 1725**

PATENT
Attorney Docket No. 117.0002-00000
Customer No. 22882

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	Confirmation No.: 8387
Terry Hildreth)	
Serial No.: 10/697,664)	Group Art Unit: 1725
Filed: October 29, 2003)	Examiner: Kuang Y. Lin
For: METAL INJECTING APPARATUS)	

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

PRE-APPEAL BRIEF REQUEST FOR REVIEW

In reply to the Final Office Action of November 08, 2006, Applicant submits the following remarks for consideration by the Members of the pre-appeal brief conference.

I. Brief Background

The application includes three independent claims, claims 1, 23, and 30, generally drawn to an adapter. After filing a Request for Continuing Examination (RCE) on October 30, 2006 with an amendment adding new claims 37, 38, and 39, claims 1-7 and 23-39 were subject to a final rejection in the Office Action of November 08, 2006. According to the Office Action of November 08, 2006, claims 1-7 and 23-39 stand rejected under 35 U.S.C. § 103(a). The rejection of claims 1-7 and 23-39 are the subject of this Request for a Pre-Appeal Conference.

Pre-appeal Brief Request 1-5-07.doc

Application No. 10/740,747
Pre-Appeal Brief Request For Review dated January 5, 2007
Reply to Final Office Action of October 10, 2006

II. Clear Errors

(1) The Examiner's rejection of claims 1-7 and 23-39 under 35 U.S.C. § 103(a) as being unpatentable over U.S. Patent No. 6,311,761 to Steininger et al. ("Steininger") is erroneous because:

(a) Steininger teaches a plunger tip 1 including a body 15 and a fitting 37, where the body 15 and the fitting 37 are capable of articulation with respect to one another to provide for alignment of the plunger tip 1 with respect to a plunger rod 3 within a shot sleeve 5;

(b) Steininger teaches that the body 15 includes a hemispherical recess 29 adapted to receive a ball 39 provided on the fitting 37 to form a ball and socket joint between the body 15 and the fitting 37 to facilitate alignment of the plunger tip 1 and the plunger rod 3;

(c) the Examiner considers the combination of the body 15 and the fitting 37 to be an adapter, and the Examiner acknowledges that, even though Steininger does disclose that a cup-shaped head 71 attached to the body 15 is formed of beryllium copper alloy, Steininger does not disclose that the adapter (the combination of the body 15 and the fitting 37) is made of beryllium copper alloy;

(d) given that the ball and socket joint of Steininger formed by the adapter of the Examiner (the combination of the body 15 and the fitting 37) is configured to swivel and pivot and would encounter significant forces and pressures that would lead one to make the adapter out of a material such as forged steel, and that claims 1, 23, and 30 recite an adapter "being formed of beryllium-copper alloy," the Examiner has not provided a prima facie showing of obviousness, and, therefore, the rejection under 35 U.S.C. § 103(a) cannot be maintained; and

(e) given that the ball and socket joint of Steininger formed by the adapter of the Examiner (the combination of the body 15 and the fitting 37) is configured to swivel and pivot to facilitate alignment of the plunger tip 1 and the plunger rod 3, and that claims 1 and 30 recite "said adapter being configured to maintain the plunger tip and the plunger rod in fixed relationship to one another and to said adapter," and claim 23 recites "said

Application No. 10/740,747
Pre-Appeal Brief Request For Review dated January 5, 2007
Reply to Final Office Action of October 10, 2006

adapter being configured to maintain the plunger tip and the plunger rod in fixed relationship to one another," the Examiner has not provided a prima facie showing of obviousness, and, therefore, the rejection under 35 U.S.C. § 103(a) cannot be maintained.

III. Conclusion

In view of the foregoing remarks, it is respectfully submitted that the claims are patentable. Therefore, it is requested that the Members of the Pre-Appeal Brief Conference reconsider the outstanding rejections in view of the preceding comments. Issuance of a timely Notice of Allowance of the claims is earnestly solicited.

To the extent any extension of time under 37 C.F.R. § 1.136 is required to obtain entry of this reply, such extension is hereby respectfully requested. If there are any fees due under 37 C.F.R. §§ 1.16 or 1.17 which are not enclosed herewith, including any fees required for an extension of time under 37 C.F.R. § 1.136, please charge such fees to our Deposit Account No. 50-3726.

Respectfully submitted,

MARTIN & FERRARO, LLP

Dated: January 5, 2007

By: 
Thomas H. Martin
Registration No. 34,383

1557 Lake O'Pines Street, NE
Hartville, Ohio 44632
Telephone: (330) 877-0700
Facsimile: (330) 877-2030